

General Information

Glove Type:	Powder Free Nitrile Examination Gloves, Non-Sterile.
Design:	Ambidextrous, Beaded Cuff, Micro-roughened Finish.
Material:	Carbocylated Acrylonitrile Butadiene Latex (Synthetic).
Colour:	Black.
Protein Content:	Contains no natural rubber latex.
Powder Content:	Nil.
Product Origin:	Made in Malaysia.
Manufactured By:	Barber Healthcare Limited
Quality Certification(s):	ISO 9001:2000, ISO 13485:2003, EN455 Parts 1 and 2 and PPE 89/686/EEC Protection Against Chemical Hazard; EN374 Parts 1, 2 & 3 and EN420 Part 3

Ebony Nitrile Examination Gloves



Ebony has been independently tested as fulfilling the requirements of 89/686/EEC Gloves for Protection Against Chemical Hazard.

Product Dimensions

Glove Size	Product Code	Palm Width (mm)	Minimum Length (mm)	Thickness Single Wall at Palm (mm)	Packing Mode	
			EN455 Req's	Our Results		
Petite	EB701	80 ± 5	240	245	0.13 ± 0.03	10x100 gloves/carton
Small	EB702	85 ± 5	240	245	0.13 ± 0.03	10x100 gloves/carton
Medium	EB703	95 ± 5	240	245	0.13 ± 0.03	10x100 gloves/carton
Large	EB704	105 ± 5	240	245	0.13 ± 0.03	10x100 gloves/carton
Extra Large	EB705	115 ± 5	240	245	0.13 ± 0.03	10x90 gloves/carton

Physical Properties

	Before Ageing (minimum)		After Ageing (minimum)	
	EN455 Req's	Our Results	EN455 Req's	Our Results
Force at Break (Newtons)	9.0	9.50	6.0	7.0
Elongation at Break (%)	650	700	500	600

Pre-Shipment Inspection & sampling

Parameter	Characteristics	Inspection Level	AQL	
			EN455 Req's	Our Results
Watertight Dimensions Physical Properties	Holes	G-1	1.5	0.65
	Width, Length & Thickness	S-2	4.0	4.0
	Before Ageing/After Accelerated Ageing	S-2	4.0	4.0
Visual Inspection	Major Defects	G-1	1.5	1.5
	Minor Defects	S-4	4.0	4.0

Test & Inspection

Test	Standards
Powder Content	ASTM D3578 / D6124
Dimensions/Physical Properties	EN455-2 & ASTM D3578
Watertight	EN455-1 & ASTM D3578 / D5151

Ebony®

PDS-9 : Eng
Revision 3, 02/10